Primary accreditation of health care professionals









THE GUIDE TO THE OSCE

Basic cardiopulmonary resuscitation

Specialty: General medicine







Table of contents

Information for a commission member

1.	Professional standard (job description)	4
2.	Information about the passport' developers	4
3.	Operating time of the Station	4
4.	Task of the station	4
5.	Information on ensuring operation of the station	4
5	5.1 Workplace of ASC member	5
5	5.2. Workplace of the accredited person	5
	5.2.1. List of furniture and other equipment	5
	5.2.2. List of medical equipment	6
	5.2.3. Consumables	6
6.	Actions of ASC members, supporting personnel at the preparatory stage (prior to the star	rt
	of the station operation)	7
7.	Actions of ASC members, supporting personnel during the station operation	7
	Information for a student	
8.	List of situations (scenarios) of the station ⁴ 1	0
9.	Information (briefing) for the accredited person1	.0
10.	Reference information for the accredited person1	.0
11.	Algorithm of skill implementation	.3
12.	Regulatory and methodological guidelines for the station passport 1	.7
13.	Criteria for the assessing the accredited person's actions	7
1/1	Check list	Q







General provisions Passports of stations (hereinafter - the stations) of the Objective structured clinical examination (OSCE) for the second stage of initial accreditation and initial specialized accreditation of specialists are documents that include the necessary information on the equipment of the station, a briefing (a short assignment before entering the station), scenarios, evaluation sheets (hereinafter checklist), sources of information, reference material, etc., and are intended as methodological and reference material for the assessment of the accredited person's proficiency in a specific practical skill (knowledge), and can be used to assess the level of readiness of healthcare professionals for professional activities.

Assessing the characteristics of practical skills in a specific discipline can be implemented through the selection of specific scenarios. The accreditation subcommittee for the specialty (hereinafter referred to as the ASC) takes this decision on the day of the second stage of the accreditation of specialists.

In order to ensure standardization of the procedure for assessing practical skills, the terms of the assignment and checklist are the same for everyone.

It is advisable to announce in advance to the accredited the rules for visiting the simulation center and the regulations of the accreditation exam.







1. Professional standard (job description)

- 1.1. Unified tariff-specialization summary of job responsibilities of employee and labor professions related to the healthcare sector (approved by Resolution No. 8 of the Ministry of Labor and Social Protection of the Republic of Azerbaijan dated June 19, 2017)
- 1.2. Sample job descriptions for the employees in medical, pharmaceutical and other specialties working in medical institutions (approved by Order No. 70 of the Minister of Health of the Republic of Azerbaijan dated September 19, 2012)

2. Information about the passport's developers

Organization-developer:

- 2.1.Baku branch of the I.M. Sechenov First Moscow State Medical University.
- 2.2. AMSEA Azerbaijan Medical Simulation Education Association.

3. Operating time of the Station

The total time to perform the task is 10 minutes.

The time the accredited person spends at the station is at least 8.5 minutes (in case of early completion of a practical skill, the accredited person remains at the station until instructed to move to the next station with the voice command "Go to the next station").

Table 1

Command announcement time	Voice command	Action of the accredited person	Time of the skill completion (min)	
0,	Get acquainted with the task of the station	Familiarization with the task (briefing)	0,5'	
0,5'	Enter the station and submit your login	Start of work at the station	8,5'	
8,0'	You have one minute left	Continued work at the station		
9,0'	Go to the next station	Leaves the station and goes to the next station according to the individual route	1'	

4. Task of the station

Demonstration by an accredited person of the ability to provide first aid to a victim with complete obstruction of the upper respiratory tract caused by a foreign body, a victim without signs of life, an unconscious victim with the signs of breathing.

5. Information on ensuring operation of the station

The following requirements must be met to ensure the proper operation of the station:







5.1 Workplace of ASC member

Table 2

№	List of equipment	Quantity
1	Work table (worktop)	1 pc.
2	Chair	2 pcs.
3	PC for the accessing to local network of the Simulation Centre ¹	1 pc.
4	A device for broadcasting video and audio recordings ² from the workplace, of the accredited person with the ability to give input envisaged in the station's passport	1 pc.
5	A computer for recording the results of an accredited person's actions on a simulator (simulator stand)	1 pc
6	Microphone with the ability to provide input, as specified in the station's passport	1 pc.
7	Headphones	2 pcs.
8	Checklists in paper format (in case of technical problems, they are not used during normal operation)	According to a number of persons being accredited
9	Ball-point pen	2 pcs.

¹In the future - a computer with Internet access for access to the automated accreditation system for healthcare specialists of the Azerbaijan Ministry of Health

5.2. Workplace of the accredited person

The station should simulate a working environment and include necessary equipment, accessories, and consumables, based on the attempts of accredited individuals:

5.2.1. List of furniture and other equipment

Table 3

№	List of furniture and other equipment	Quantity
1	Telephone set (in a visible place, imitation)	1 pc.
2	Floor mat, at least 1 m by 1 m	4 pc.

³If the simulator is powered by an electrical network, it is necessary to consider the option of connecting it so that the wires (including the wire connecting to the computer) do not mislead the accredited person and are not perceived by him as an additional danger.

²With the agreement of the chairman of the ASC, the equipment for broadcasting the video recording of the accredited person's performance may be placed in an alternate location. Members of the ASC must have unrestricted access to this location to review the video recording.







5.2.2. List of medical equipment

Table 4

№	List of medical equipment	Quantity
1.	Automatic external defibrillator (AED) (training or live, with training unit, located 1.5 m from the human analog - training manikin)	1 pc.

5.2.3. Consumables

Table 5

№	List of consumables	Quantity (per 1 attempt)
1	Antiseptic spray for skin	3 spray portions (10 ml)
2	Wipes for drying antiseptic	1 roll
3	Training electrodes for automatic external defibrillator	1 set (replacement as required)

5.2.4. Simulation equipment of the station and its characteristics

Table 6

No	Characteristic of simulation equipment	
1.	Simulator-dummy for practicing cardiopulmonary resuscitation. Capable of recording the following indicators upon completion: 1) depth of compressions: 2) position of hands during compressions; 3) releasing hands between the compressions; 4) compression frequency; preferred: 5) respiratory volume. The mannequin simulator should be clothed.	
2.	Mannequin simulator of adult person intended for the practicing of achieving stable lateral (recovery) position or a conditional victim	
3.	Mannequin simulator of adult person intended for the practicing the ways for removal of a foreign body from the upper respiratory tract	







6. Actions of ASC members, supporting personnel at the preparatory stage (prior to the start of the station operation)

- 1. Checking an access to local network of the simulation center*
- 2. Checking the compliance of the design and completion of the OSCE station with the standard passport, taking into account the number of persons being accredited.
- 3. Checking the presence of necessary consumables at the station.
- 4. Checking the availability of written task (briefing) before entering the station.
- 5. Checking the readiness of simulator for operation.
- 6. Instructing the conditional victim, if he works at the station
- 7. Check of AED readiness for operation.
- 8. Installation of necessary scenario by programmed control of simulator.
- 9. Checking the readiness of broadcasting video records to the video surveillance room.
- 10. Selection of the situation according to the decision of the ASC.
- 11. Verification of your personal data
- 12. Carrying out other activities necessary for normal operation of the station.

7. Actions of ASC members, supporting personnel during the station operation

- 1. Turning on video camera with the command "Read the station task" (if necessary).
- Quality control of audio-video recording of the actions of accredited person (if necessary).
- 3. Launching a mannequin simulator for practicing cardiopulmonary resuscitation and control of its software.
- 4. In the future* Entering the individual number of the accredited person into the checklist in the automated accreditation system for healthcare specialists of the Ministry of Health of Azerbaijan.
- 5. Registration of the sequence and correctness of actions/discrepancies in the actions of the accredited person in accordance with the parameters in the checklist
- 6. Conducting minimum necessary dialogue with the accredited person on behalf of the patient, and providing additional input for completing the task (scenario) Table 7.
- 7. Recording the results of the parameters of mannequin simulator for practicing cardiopulmonary resuscitation in the evaluation sheet.
- 8. Compliance with the rule do not say anything on your own; do not enter into negotiations, even if you disagree with the opinion of the accredited person. Do not ask clarifying questions, do not make demands.
- 9. After the command to the accredited person "Go to the next station", bring the used simulation equipment and premises to their original condition.

^{*} In future - Obtaining a login and password to enter the automated accreditation system for healthcare specialists of the Azerbaijan Ministry of Health and logging in. Reconciliation of own personal data.







Sample texts of introductory information within the framework of the dialogue between a ASC member and the accredited person

Table 7

	Table /		
№	Action of the accredited person	Text of introductory information	
	Situation (scenario) № 1		
1	When the accredited person enters the station	"The mannequin simulator for practicing removal of the foreign body is located" (indicate the location of the mannequin at the OSCE station)	
2	When assessing the situation, demonstrating a safety gesture	"No danger"	
3	When asked: "Have you choken?"	"The victim cannot speak"	
4	After 5 blows with the heel of the hand between the shoulder blades of the mannequin simulator	"The manipulation was ineffective"	
5	After 5 compressions on the mannequin simulator upper abdomen	"The foreign body has been removed. The victim is on the floor. Help him/her"	
6	When attempting to assess consciousness:	"No response"	
7	When trying to assess breathing	"No breathing"	
8	When contacting emergency medical services (EMS) by phone	"The EMS is listening, what happened?"	
9	If the accredited person provides correct and complete information for emergency medical service: address, one victim, middle-age man, unconscious, no breathing, ready to start cardiopulmonary resuscitation	"Call is taken!"	
10	If the information is incomplete	Ask questions on behalf of the EMS manager: • location (address) • age • gender • condition of a child • scope of intervention	
11	If you try to use an AED immediately	"The AED is not currently available"	
12	After 2 minutes from the start of the chest compressions	"The AED is currently available. You can use it"	
13	After 2 minutes from the use of SAED and repeated cycle of compressions on the sternum	"Voluntary movements/ autokinesis have appeared, the skin has turned pink. The test is completed. Wait for a voice command to leave the station"	







№	Action of the accredited person	Text of introductory information	
	Situation (scenario) № 2		
1	When the accredited person enters the station	"The foreign body has been removed. The victim is on the floor (indicate the location of the mannequin at the OSCE station) Help him/her"	
2	When assessing the situation, demonstrating a safety gesture	"No danger"	
3	When attempting to assess consciousness:	"No response"	
4	When trying to assess breathing	"No breathing"	
5	When contacting emergency medical services (EMS) by phone	"The EMS is listening, what happened?"	
6	If the accredited person provides correct and complete information for emergency medical service: address, one victim, middle-age man, unconscious, no breathing, ready to start cardiopulmonary resuscitation	"Call is taken!"	
7	If the information is incomplete	Ask questions on behalf of the EMS manager: • location (address)age • age • gender • condition of a child • scope of intervention	
8	If you try to use an AED immediately	"The AED is not currently available"	
9	After 2 minutes from the start of the chest compressions	"The AED is currently available. You can use it"	
10	After 2 minutes from the use of SAED and repeated cycle of compressions on the sternum	"Voluntary movements have appeared, the skin is turning pink, assess the condition of the victim."	
11	When attempting to assess consciousness:	"No response"	
12	When trying to assess breathing	"There is breathing"	
13	After bringing the victim in a stable lateral (recovery) position	"The test is completed, wait for a voice command to leave the station"	

Important! It is strongly recommended not to ask questions not listed in this table. You must refrain from providing unsolicited information or engaging in negotiations, even if you even if you disagree with the accredited person's opinion. Avoid asking for clarification or making direct demands: "Continue!", "Carry out the auscultation of the lungs!" etc.; ask questions: "What are you going to do next?", "How long?" etc.







8. List of situations (scenarios) of the station⁴

Table 8

№	Situation (scenario)
1	Complete obstruction of the upper respiratory tract in a victim caused by a foreign body with subsequent arrest of breathing and circulation (the kit contains automatic external defibrillator)
2	Arrest of breathing and circulation in a victim with their recovery after resuscitation measures, accompanied by a lack of consciousness (the kit contains automatic external defibrillator)

ASC determines the choice and sequence of situations (scenarios) of the station on the day of the second stage of initial accreditation of healthcare professionals

⁴The specific situation to be performed must be printed in the form of a task located at the accredited person's workplace.

9. Information (briefing) for the accredited person

You have noticed that the person is unwell. It is necessary to provide first aid to him/her within the limits of your skills. An automatic external defibrillator (AED) is available at the station, but you can only use it after receiving the relevant voice command. Please note that the AED is not immediately accessible upon entering the station.

10. Reference information for the accredited person

- 1. The sequence of resuscitation actions in adults is as follows:
 - 1.1. Assess the situation and ensure safe conditions for the provision of first aid;
 - 1.2. Determine whether the victim is conscious;
 - 1.3. Restore airway patency and determine signs of life in the victim;
- 1.4. Perform cardiopulmonary resuscitation (compressing the chest and applying artificial respiration).).
- 2. When delivering compression on the victim's sternum during CPR, it is necessary to compress to a depth of at least 5 cm and no more than 6 cm (for adults).
 - 3. The frequency of compressions should be no less than 100 and no more than 120 per minute.
- 4. The criterion for effective breath intake during basic cardiopulmonary resuscitation is a visible rise of the chest.







- 5. When applying compressions, the accredited person's hands must be in wrist-lock grip position, the base of the underlying hand should not be torn off the surface of the victim's chest between compressions, and it is also necessary to keep the arms straight, without bending them at the elbows.
- 6. To apply compressions, you must use the weight of your torso. Your knees should be at shoulder length.
- 7. You should not take any unnecessary actions (determine the width of the pupils, the presence of foreign bodies in the respiratory tract, apply a mirror to the patient's mouth, etc.).
- 8. Pulse assessment is not considered an error if carried out by a medical professional and assessed with a special technique together with an assessment of the presence of breathing.
 - 9. Approximate guide is the center of a chest.
- 10. To perform artificial respiration, it is advisable to use your own special face mask or face film. In the absence of a special face mask, it is permissible not to perform artificial respiration. Carrying out artificial respiration without protective equipment (a special face mask) is permissible at the accredited person's own will, however taking into account the risk of infectious contamination, which is reflected in the evaluation sheet.
- 11. In order to determine the degree of airway obstruction, it is necessary to ask the victim if he has choked. If the upper respiratory tract is completely obstructed, the victim cannot speak, cannot breathe, he/she may grab his/her throat, or nod.
- 12. If the upper respiratory tract is completely obstructed, it is necessary to take measures to remove the foreign body:
 - 12.1 You should stand to the side and slightly behind the victim;
- 12.2. Supporting the victim with one hand, bend him /her forward with the other hand, so that if a foreign body is displaced, it falls into the victim's mouth and does not fall lower into the respiratory tract;
- 12.3. Apply 5 blows with the heel of your hand between the shoulder blades of the victim;
 - 12.4. Check after each blow whether the obstruction has been eliminated;
- 12.5. If after 5 blows the foreign body is not removed, then you should: stand behind the victim and take him /her with both hands at the level of the upper abdomen; make a fist with one of your hands and place it above the navel with your thumb towards you; grasp your fist with your other hand and, slightly tilting the victim forward, sharply press on his /her abdomen inward and upward; if necessary, repeat the compressions up to 5 times.
 - 13. When the victim begins to breathe independently, it is necessary to give him a stable







lateral position. This requires the following sequence of actions:

- 13.1 Place the victim's near arm at a right angle to his /her body;
- 13.2. Position the victim's far hand with its back on the opposite cheek, holding it with your hand;
- 13.3. After this, bend the leg of the victim farthest from you at the knee, place it with support on the foot, press on the knee of this leg toward yourself, and turn the victim;
- 13.4. After turning the victim to one side, slightly tilt his head back to open the airways and pull the leg lying on top closer to the abdomen. Then check for signs of breathing by leaning towards the victim's mouth and nose (listen, feel and look at the movement of the chest for at least 7 and no more than 10 seconds).
 - 14. To use the automatic external defibrillator, you must perform the following actions:
- 14.1. Turn on the automatic external defibrillator (using the power button or opening the cover);
- 14.2. Correctly attach and stick the electrodes onto the chest of the simulator/mannequin (the diagram is shown on the electrodes); attach and stick the electrodes onto the chest of the simulator/mannequin (the diagram is shown on the electrodes);
- 14.3. Follow the instructions of the defibrillator (do not touch the victim during the analysis of the heart rhythm with defibrillator, press the "Discharge" button, begin compressions on the sternum);
 - 14.4. Avoid touching the victim during the discharge.







11. Algorithm of skill implementation

Situation (scenario) Nº 1

Suudion (scendrio) M 1		
Nº	Action of the accredited person	
1	Ensure there is no danger and, if necessary, provide a safe environment for the provision of first aid	
	Remove foreign body	
2	Ask the victim: "Have you choken?"	
3	Bend the victim forward	
4	Apply 5 blows with the heel of your hand between the victim's shoulder blades, checking after each blow whether the foreign body has been removed	
5	Perform 5 compressions with your fist, covered with the palm of your other hand, on the upper part of the victim's abdomen, wrapping him/her from behind, checking after each compression whether the foreign body has been removed	
	Determine signs of life	
6	Gently shake the victim by his/her shoulders	
7	Ask him/her loudly "Do you need help?"	
8	Remove clothes from the chest of the victim	
9	Place the palm of one hand on the victim's forehead	
10		
11	Tilt the head back, opening the airways	
12	Bend with your cheek and ear toward the victim's mouth and nose	
13	Observe with your eyes the movements of the victim's chest	
14	4 Assess the presence of normal breathing for 10 seconds	
15	15 Call for help and ask for an AED	
	Call for ambulance, having indicated:	
16	• location (address) of the accident	
17	• number of suffered persons	
18	• gender	
19	approximate age	
20	• victim's condition	
21	• scope of provided first aid	
	Begin cardiopulmonary resuscitation	
22	Kneel at the side of the victim, facing him	
23	Place the heel of the palm of one hand on the center of the victim's chest	
24	Place the second palm on the first hand, grasping it in a wrist-lock position	







	Compressions on the victim's sternum		
25	Perform 30 compressions in a row		
26	Keep your arms perpendicular to the plane of the sternum		
27	Do not bend your arms at the elbows		
28	Using the fingers of the upper hand, pull up the fingers of the lower hand		
29	Count compressions out loud		
	Breaths of artificial respiration		
30	Use your own special face mask or face film		
31	Place the palm of one hand on the victim's forehead		
32	Lift the victim's chin with two fingers of the other hand		
33	Tilt the victim's head back, opening the airways and make your normal inspiration		
34	With two fingers of the hand on the forehead, pinch the victim's nose		
35	Cover the victim's mouth tightly with your lips		
36	Exhale into the victim's airway until the chest rises visibly		
37	While continuing to maintain airway patency, unpinch the nose, remove your lips from the		
	victim's mouth and allow him to exhale passively.		
38	Repeat exhalation into the victim's airway		
39	Continue CPR for 2 minutes until the next command		
	Use of AED		
40	Turn on AED		
41	Correctly stick the electrodes onto the victim's chest (simulation);		
42	Do not touch the victim during the analysis of heart rhythm with AED		
43	Press "Discharge" button after the AED command (or ASC member) (if a rhythm to be defibrillated is detected)		
44	Do not touch the victim at the moment of discharge (if a rhythm to be defibrillated is detected)		
45	Upon the command of AED (or ASC member) begin chest compressions		
46	Continue CPR for 2 minutes until the next command		
	When delivering compressions, ensure the following indicators:		
47	Adequate depth of compression (at least 80%)		
48	Adequate hand position when delivering compression (at least 80%)		
49	Full expansion of the chest after each compression (at least 80%)		
50	Adequate compression frequency (at least 80%)		
51	Adequate volume of artificial respiration breaths (at least 80%)		







Situation (scenario) №2

Nº	Action of the accredited person
1	Ensure there is no danger and, if necessary, provide a safe environment for the provision of first aid
	Determine signs of life
2	Gently shake the victim by his/her shoulders
3	Ask him/her loudly: "Do you need help?
4	Remove clothes from the chest of the victim
5	Place the palm of one hand on the victim's forehead
6	Lift the victim's chin with two fingers of the other hand
7	Tilt the head back, opening the airways
8	Bend with your cheek and ear toward the victim's mouth and nose
9	Observe with your eyes the movements of the victim's chest
10	Assess the presence of normal breathing for 10 seconds
11	Call for help and ask for an AED
	Call for ambulance, having indicated:
12	• location (address) of the accident
13	• number of suffered persons
14	• gender
15	• approximate age
16	• victim's condition
17	• scope of provided first aid
	Begin cardiopulmonary resuscitation
18	Kneel at the side of the victim, facing him
19	Place the heel of the palm of one hand on the center of the victim's chest
20	Place the second palm on the first hand, grasping it in a wrist-lock position
	Compressions on the victim's sternum
21	Perform 30 compressions in a row
22	Keep your arms perpendicular to the plane of the sternum
23	Do not bend your arms at the elbows
24	Using the fingers of the upper hand, pull up the fingers of the lower hand
25	Count compressions out loud
	Breaths of artificial respiration
26	Use your own special face mask or face film.
27	Place the palm of one hand on the victim's forehead
28	Lift the victim's chin with two fingers of the other hand
29	Tilt the victim's head back, opening the airways and make your normal inspiration







30	With two fingers of the hand on the forehead, pinch the victim's nose
31	Cover the victim's mouth tightly with your lips
32	Exhale into the victim's airway until the chest rises visibly
32	While continuing to maintain airway patency, unpinch the nose, remove your lips from the
33	victim's mouth and allow him to exhale passively.
34	Repeat exhalation into the victim's airway
35	Continue CPR for 2 minutes until the next command
	Use of AED
36	Turn on AED
37	Correctly stick the electrodes onto the victim's chest (simulation);
38	Not touch the victim during the analysis of heart rhythm with AED
39	Press "Discharge" button after the AED command (or ASC member) (if a rhythm to be
	defibrillated is detected)
40	Do not touch the victim at the moment of discharge (if a rhythm to be defibrillated is detected)
41	Upon the command of AED (or ASC member) begin chest compressions
42	Continue CPR for 2 minutes until the next command
	When delivering compressions, ensure the following indicators:
43	Adequate depth of compression (at least 80%)
44	Adequate hand position when delivering compression (at least 80%)
45	Full expansion of the chest after each compression (at least 80%)
46	Adequate compression frequency (at least 80%)
47	Adequate volume of artificial respiration breaths (at least 80%)
	Determine signs of life before giving a stable lateral (recovery) position
48	Gently shake the victim by his/her shoulders
49	Ask him/her loudly: "Do you need help?"
50	Place the palm of one hand on the victim's forehead
51	Lift the victim's chin with two fingers of the other hand
52	Tilt the head back, opening the airways
53	Bend with your cheek and ear toward the victim's mouth and nose
54	Observe with your eyes the movements of the victim's chest
55	Assess the presence of normal breathing for 10 seconds
	Ensure a stable lateral position
56	Place the victim's near arm at a right angle to his /her body
57	Place the victim's far hand with its back on the opposite cheek, holding it with your hand
58	Bend the leg of the victim farthest from you at the knee, place it with support on the foot
59	Turn the victim towards yourself by pressing on the knee of the bent leg
60	Pull the leg lying on top closer to the abdomen
61	Slightly tilt the victim's head back to open the airways
62	Check the victim for signs of breathing
L	







12. Regulatory and methodological guidelines for the station passport

European Resuscitation Council Guidelines 2021: Basic Life Support https://www.cprguidelines.eu/assets/guidelines/European-Resuscitation-Council-Guidelines-2021-Ba

13. Criteria for the assessing the accredited person's actions

In the electronic checklist, the assessment of the correctness and sequence of actions performed by the accredited person is carried out by activating the buttons:

"Yes" - the action was performed;

"No" - the action was not performed.

Each item is entered by a member of the ASC into the electronic checklist

*In case of incorrect or incomplete execution of an action by an accredited person, the result from the members of the APK will not be announced







14. Checklist

Scenario 1

№	Action of the accredited person	Evalu Crit	
1	Ensured there is no danger and, if necessary, provided safe conditions for providing assistance	□ yes	□ no
	Proceeded with first aid to a victim with a foreign body in the upper respire	atory tract	
2	Asked the victim: "Have you choken?"	□ yes	□ no
3	Bent the victim forward	□ yes	□ no
4	Applied 5 blows with the heel of his/her hand between the shoulder blades of the victim	□ yes	□ no
5	Assessed the fact of removal of a foreign body after each blow	□ yes	□ no
	Performed 5 compressions with his/her fist, covered with the palm of his/her	-	
6	other hand, on the upper part of the victim's abdomen, wrapping him/her from behind	□ yes	□ no
7	Assessed the fact of removal of a foreign body after each compression	□ yes	□ no
	Determined signs of life		
8	Gently shook the victim by his/her shoulders	□ yes	□ no
9	Called him/her loudly: "Do you need help?"	□ yes	□ no
10	Removed clothes from the chest of the victim	□ yes	□ no
11	Placed the palm of one hand on the victim's forehead, lifted the victim's chin with two fingers of the other hand and tilted the head back, opening the airways	□ yes	□ no
12	Bent with his/her cheek and ear toward the victim's mouth and nose	□ yes	□ no
13	Assessed the presence of normal breathing for 10 seconds	□ yes	□ no
14	Called for help and asked for an AED	□ yes	□ no
	Called ambulance in accordance with accepted procedure		
15	• the fact that the ambulance team was called	□ yes	□ no
16	• location (address) of the accident	□ yes	□ no
17	• number of suffered persons	□ yes	□ no
18	• gender	□ yes	□ no
19	• approximate age	□ yes	□ no
20	• victim's condition	□ yes	□ no
21	• scope of provided first aid	□ yes	□ no
	Prepared for chest compressions		
22	Kneeled at the side of the victim, facing him	□ yes	□ no
23	Placed the heel of the palm of one hand on the center of the victim's chest	□ yes	□ no
24	Placed the second palm on the first hand, grasping it in a wrist-lock position	□ yes	□ no
	Performed compressions on the victim's sternum		
25	Performed 30 compressions in a row	□ yes	□ no
26	Kept his/her arms perpendicular to the plane of the sternum	□ yes	□ no
27	Did not bend his/her arms at the elbows	□ yes	□ no
28	Counted the compressions out loud	□ yes	□ no

Basic cardiopulmonary resuscitation







Performed breaths of artificial respiration (simulation)				
29	Used your own special face mask or face film	□ yes	□ no	
30	Placed the palm of one hand on the victim's forehead	□ yes	□ no	
31	Lifted the victim's chin with two fingers of the other hand	□ yes	□ no	
32	Tilted the victim's head back, opening the airways and made own normal inspiration	□ yes	□ no	
33	With two fingers of the hand on the forehead, pinched the victim's nose	□ yes	□ no	
34	Exhaled into the victim's airway	□ yes	□ no	
35	While continuing to maintain airway patency, unpinched the nose, removed his/her lips from the victim's mouth	□ yes	□ no	
36	Repeated exhalation into the victim's airway	□ yes	□ no	
37	Continued CPR for 2 minutes until the next command	□ yes	□ no	
	Use of AED			
38	Turned on the AED	□ yes	□ no	
39	Correctly sticked the electrodes onto the victim's chest	□ yes	□ no	
40	Did not touch the victim during the analysis of heart rhythm with AED	□ yes	□ no	
41	Followed the AED (or ASC member) commands: • Pressed "Discharge" button. Did not touch the victim at the moment of discharge. Began chest compressions Or • Began chest compressions	□ yes	□ no	
42	Continued CPR for 2 minutes until the next command	□ yes	□ no	
	Indicators of simulator			
43	Adequate depth of compression (at least 80%)	□ yes	□ no	
44	Adequate hand position when delivering compression (at least 80%)	□ yes	□ no	
45	Full expansion of the chest after each compression (at least 80%)	□ yes	□ no	
46	Adequate compression frequency (at least 80%)	□ yes	□ no	
47	Adequate volume of artificial respiration breaths (at least 80%)	□ yes	□ no	
	Unscheduled and unsafe activities	<u> </u>		
48	There was no compressions on the chest actions	□ yes	□ no	
49	Pulse was assessed on carotid artery without respiration assessment	□ yes	□ no	
50	The pulse was assessed on the radial and/or other peripheral arteries	□ yes	□ no	
51	An assessment of the neurological status was cone (checking the response of the pupils to light)	□ yes	□ no	
52	Search for unscheduled accessories (mirror, etc.) was carried out	□ yes	□ no	
53	Medical history was collected and medical records were searched	□ yes	□ no	
54	The wrong location was chosen for blows	□ yes	□ no	
55	The wrong location was chosen for compressions on the abdomen	□ yes	□ no	
56	Violated the sequence of the algorithm	□ yes	□ no	
	Name of the ASC member Signature Record about the inclusion in	nto database	(Name)	







Checklist

Scenario 2

Ensured there is no danger and, if necessary, provided safe conditions for providing assistance yes no no	Ma	Action of the accredited person	Evaluation	
Determined signs of life Determined signs of life Qes	№		Crit	eria
2 Gently shook the victim by his/her shoulders	1		□ yes	□ no
Called him/her loudly: "Do you need help?"		Determined signs of life		
Removed clothes from the chest of the victim yes no Placed the palm of one hand on the victim's forehead, lifted the victim's chin with two fingers of the other hand and titled the head back, opening the airways no yes no no Assessed the presence of normal breathing for 10 seconds yes no Called for help and asked for an AED yes no Called for help and asked for an AED yes no Called ambulance in accordance with accepted procedure yes no no Called ambulance in accordance with accepted procedure yes no no 10 location (address) of the accident yes no no 11 number of suffered persons yes no no 12 gender yes no no 13 approximate age yes no no 15 secope of provided first aid yes no no 15 secope of provided first aid yes no no Prepared for chest compressions yes no no 15 Placed the heel of the palm of one hand on the center of the victim's chest yes no no Performed compressions on the victim's chest yes no no Performed 30 compressions in a row yes no no Performed does not	2	Gently shook the victim by his/her shoulders	□ yes	□ no
Placed the palm of one hand on the victim's forehead, lifted the victim's chin with two fingers of the other hand and tilted the head back, opening the airways fingers of the other hand and tilted the head back, opening the airways fingers of the other hand and tilted the head back, opening the airways fingers of the other hand and tilted the head back, opening the airways and made own normal inspiration yes	3	Called him/her loudly: "Do you need help?"	□ yes	□ no
fingers of the other hand and tilted the head back, opening the airways	4		□ yes	□ no
Bent with his/her cheek and ear toward the victim's mouth and nose	5		□ yes	□ no
Assessed the presence of normal breathing for 10 seconds Quest Doctor	6		□ ves	□ no
Called for help and asked for an AED				
Called ambulance in accordance with accepted procedure				
10 • location (address) of the accident			,	
10 • location (address) of the accident	9	• the fact that the ambulance team was called	□ yes	□ no
11	10	• location (address) of the accident		□ no
13 *approximate age	11	• number of suffered persons	□ yes	□ no
14	12	• gender	□ yes	□ no
Prepared for chest compressions Skneeled at the side of the victim, facing him Skneeled at the side of the victim, facing him Skneeled at the side of the victim, facing him Skneeled at the side of the victim, facing him Skneeled at the side of the victim, facing him Skneeled at the side of the victim facing him Skneeled at the side of the victim facing him Skneeled at the side of the victim facing him Skneeled at the side of the victim facing him Skneeled at the side of the palm of one hand on the center of the victim's chest Skneeled at the second palm on the first hand, grasping it in a wrist-lock position Skneeled at the second palm on the first hand, grasping it in a wrist-lock position Skneeled at the second palm on the victim's sternum Skneeled at the second palm on the victim's sternum Skneeled at the second palm on the victim's sternum Skneeled at the second palm on Skneeled at the second palm on the skneeled at the second palm on the skneeled at t	13	approximate age	□ yes	□ no
Prepared for chest compressions 16	14	• victim's condition	□ yes	□ no
16 Kneeled at the side of the victim, facing him 17 Placed the heel of the palm of one hand on the center of the victim's chest □ yes □ no 18 Placed the second palm on the first hand, grasping it in a wrist-lock position □ yes □ no Performed compressions on the victim's sternum 19 Performed 30 compressions in a row □ yes □ no 20 Kept his/her arms perpendicular to the plane of the sternum □ yes □ no 21 Did not bend his/her arms at the elbows □ yes □ no 22 Counted the compressions out loud □ yes □ no Performed breaths of artificial respiration 23 Used your own special face mask or face film □ yes □ no 24 Placed the palm of one hand on the victim's forehead □ yes □ no 25 Lifted the victim's chin with two fingers of the other hand □ yes □ no 26 Tilted the victim's head back, opening the airways and made own normal inspiration □ yes □ no 27 With two fingers of the hand on the forehead, pinched the victim's nose □ yes □ no 28 Exhaled into the victim's airway □ yes □ no 29 While continuing to maintain airway patency, unpinched the nose, removed his/her □ yes □ no 29 While continuing to maintain airway patency, unpinched the nose, removed his/her □ yes □ no 29 Repeated exhalation into the victim's airway □ yes □ no	15	• scope of provided first aid	□ yes	□ no
Placed the heel of the palm of one hand on the center of the victim's chest yes no		Prepared for chest compressions		
Performed compressions on the victim's sternum 19 Performed 30 compressions in a row 20 Kept his/her arms perpendicular to the plane of the sternum 21 Did not bend his/her arms at the elbows 22 Counted the compressions out loud 23 Used your own special face mask or face film 24 Placed the palm of one hand on the victim's forehead 25 Lifted the victim's chin with two fingers of the other hand 26 Tilted the victim's head back, opening the airways and made own normal inspiration 27 With two fingers of the hand on the forehead, pinched the victim's nose 28 Exhaled into the victim's airway 29 While continuing to maintain airway patency, unpinched the nose, removed his/her lips from the victim's mouth 30 Repeated exhalation into the victim's airway □ yes □ no □ yes	16	Kneeled at the side of the victim, facing him	□ yes	□ no
Performed compressions on the victim's sternum 19 Performed 30 compressions in a row	17	Placed the heel of the palm of one hand on the center of the victim's chest	□ yes	□ no
19 Performed 30 compressions in a row 20 Kept his/her arms perpendicular to the plane of the sternum	18	Placed the second palm on the first hand, grasping it in a wrist-lock position	□ yes	□ no
20 Kept his/her arms perpendicular to the plane of the sternum		Performed compressions on the victim's sternum		
21 Did not bend his/her arms at the elbows □ yes □ no 22 Counted the compressions out loud □ yes □ no Performed breaths of artificial respiration 23 Used your own special face mask or face film □ yes □ no 24 Placed the palm of one hand on the victim's forehead □ yes □ no 25 Lifted the victim's chin with two fingers of the other hand □ yes □ no 26 Tilted the victim's head back, opening the airways and made own normal inspiration □ yes □ no 27 With two fingers of the hand on the forehead, pinched the victim's nose □ yes □ no 28 Exhaled into the victim's airway □ yes □ no 29 While continuing to maintain airway patency, unpinched the nose, removed his/her lips from the victim's mouth □ yes □ no 30 Repeated exhalation into the victim's airway □ yes □ no	19	Performed 30 compressions in a row	□ yes	□ no
22 Counted the compressions out loud Performed breaths of artificial respiration 23 Used your own special face mask or face film 24 Placed the palm of one hand on the victim's forehead 25 Lifted the victim's chin with two fingers of the other hand 26 Tilted the victim's head back, opening the airways and made own normal inspiration 27 With two fingers of the hand on the forehead, pinched the victim's nose 28 Exhaled into the victim's airway 29 While continuing to maintain airway patency, unpinched the nose, removed his/her lips from the victim's mouth 30 Repeated exhalation into the victim's airway □ yes □ no	20	Kept his/her arms perpendicular to the plane of the sternum	□ yes	□ no
Performed breaths of artificial respiration 23 Used your own special face mask or face film	21	Did not bend his/her arms at the elbows	□ yes	□ no
23 Used your own special face mask or face film □ yes □ no 24 Placed the palm of one hand on the victim's forehead □ yes □ no 25 Lifted the victim's chin with two fingers of the other hand □ yes □ no 26 Tilted the victim's head back, opening the airways and made own normal inspiration □ yes □ no 27 With two fingers of the hand on the forehead, pinched the victim's nose □ yes □ no 28 Exhaled into the victim's airway □ yes □ no 29 While continuing to maintain airway patency, unpinched the nose, removed his/her □ yes □ no 30 Repeated exhalation into the victim's airway □ yes □ no	22	Counted the compressions out loud	□ yes	□ no
24 Placed the palm of one hand on the victim's forehead □ yes □ no 25 Lifted the victim's chin with two fingers of the other hand □ yes □ no 26 Tilted the victim's head back, opening the airways and made own normal inspiration □ yes □ no 27 With two fingers of the hand on the forehead, pinched the victim's nose □ yes □ no 28 Exhaled into the victim's airway □ yes □ no 29 While continuing to maintain airway patency, unpinched the nose, removed his/her lips from the victim's mouth □ yes □ no 30 Repeated exhalation into the victim's airway □ yes □ no	Performed breaths of artificial respiration			
25 Lifted the victim's chin with two fingers of the other hand □ yes □ no 26 Tilted the victim's head back, opening the airways and made own normal inspiration □ yes □ no 27 With two fingers of the hand on the forehead, pinched the victim's nose □ yes □ no 28 Exhaled into the victim's airway □ yes □ no 29 While continuing to maintain airway patency, unpinched the nose, removed his/her lips from the victim's mouth □ yes □ no 30 Repeated exhalation into the victim's airway □ yes □ no	23	Used your own special face mask or face film	□ yes	□ no
Tilted the victim's head back, opening the airways and made own normal inspiration With two fingers of the hand on the forehead, pinched the victim's nose Exhaled into the victim's airway While continuing to maintain airway patency, unpinched the nose, removed his/her While from the victim's mouth Repeated exhalation into the victim's airway □ yes □ no yes □ no yes □ no yes □ no	24	Placed the palm of one hand on the victim's forehead	□ yes	□ no
27 With two fingers of the hand on the forehead, pinched the victim's nose □ yes □ no 28 Exhaled into the victim's airway □ yes □ no 29 While continuing to maintain airway patency, unpinched the nose, removed his/her lips from the victim's mouth □ yes □ no 30 Repeated exhalation into the victim's airway □ yes □ no	25	Lifted the victim's chin with two fingers of the other hand	□ yes	□ no
27 With two fingers of the hand on the forehead, pinched the victim's nose □ yes □ no 28 Exhaled into the victim's airway □ yes □ no 29 While continuing to maintain airway patency, unpinched the nose, removed his/her lips from the victim's mouth □ yes □ no 30 Repeated exhalation into the victim's airway □ yes □ no	26	Tilted the victim's head back, opening the airways and made own normal inspiration	□ yes	□ no
28 Exhaled into the victim's airway □ yes □ no 29 While continuing to maintain airway patency, unpinched the nose, removed his/her lips from the victim's mouth □ yes □ no 30 Repeated exhalation into the victim's airway □ yes □ no	27	With two fingers of the hand on the forehead, pinched the victim's nose	-	□ no
While continuing to maintain airway patency, unpinched the nose, removed his/her ☐ yes ☐ no Repeated exhalation into the victim's airway ☐ yes ☐ no				
30 Repeated exhalation into the victim's airway □ yes □ no		While continuing to maintain airway patency, unpinched the nose, removed his/her		
	30	1	□ ves	no no
	31	Continued CPR for 2 minutes until the next command	□ yes	□ no

$Basic\ cardiopul monary\ resuscitation$







	Use of AED		
32	Turned on the AED	□ yes	□ no
33	Correctly sticked the electrodes onto the victim's chest	□ yes	□ no
34	Did not touch the victim during the analysis of heart rhythm with AED	□ yes	□ no
35	Followed the AED (or ASC member) commands: • Pressed "Discharge" button. Did not touch the victim at the moment of discharge. Began chest compressions Or • Began chest compressions	□ yes	□ no
36	Continued CPR for 2 minutes until the next command	□ yes	□ no
	Indicators of simulator	, ,	
37	Adequate depth of compression (at least 80%)	□ yes	□ no
38	Adequate hand position when delivering compression (at least 80%)	□ yes	□ no
39	Full expansion of the chest after each compression (at least 80%)	□ yes	□ no
40	Adequate compression frequency (at least 80%)	□ yes	□ no
41	Adequate volume of artificial respiration breaths (at least 80%)	□ yes	□ no
	Ensuring stable lateral position		
42	Gently shook the victim by his/her shoulders	□ yes	□ no
43	Called him/her loudly: "Do you need help?	□ yes	□ no
44	Placed the palm of one hand on the victim's forehead	□ yes	□ no
45	Lifted the victim's chin with two fingers of the other hand	□ yes	□ no
46	Tilted the head back, opening the airways	□ yes	□ no
47	Bent with his/her cheek and ear toward the victim's mouth and nose	□ yes	□ no
48	Assessed the presence of normal breathing for 10 seconds	□ yes	□ no
49	Placed the victim's near arm at a right angle to his /her body	□ yes	□ no
50	Placed the victim's far hand with its back on the opposite cheek of the victim	□ yes	□ no
51	Bent the leg of the victim farthest from himself/herself at the knee, placed it with support on the foot	□ yes	□ no
52	Turned the victim towards himself/herself by pressing on the knee of the bent leg	□ yes	□ no
53	Pulled the leg lying on top closer to the abdomen	□ yes	□ no
54	Slightly tilted the victim's head back to open the airways	□ yes	□ no
55	Checked the victim for signs of breathing	□ yes	□ no
	Unscheduled and unsafe activities	, ,	
56	There was no compressions on the chest actions	□ yes	□ no
57	Pulse was assessed on carotid artery without respiration assessment	□ yes	□ no
58	The pulse was assessed on the radial and/or other peripheral arteries	□ yes	□ no
59	An assessment of the neurological status was cone (checking the response of the pupils to light)	□ yes	□ no
60	Search for unscheduled accessories (mirror, etc.) was carried out	□ yes	□ no
61	Medical history was collected and medical records were searched	□ yes	□ no
62	Turned the victim away from himself/ herself	□ yes	□ no
63	Violated the sequence of achieving stable lateral position	□ yes	□ no
64	Violated the sequence of the algorithm	□ yes	□ no
	Name of the ASC member Signature Record about the inclusion is	nto database	 (Name)







Providing basic cardiopulmonary resuscitation without artificial ventilation

Checklist

Scenario 1

№	Action of the accredited person	Evalu Crit	eria
1	Ensured there is no danger and, if necessary, provided safe conditions for providing assistance	□ yes	□ no
	Proceeded with first aid to a victim with a foreign body in the upper respiratory tract		
2	Asked the victim: "Have you choken?"	□ yes	□ no
3	Bent the victim forward	□ yes	□ no
4	Applied 5 blows with the heel of his/her hand between the shoulder blades of the victim	□ yes	□ no
5	Assessed the fact of removal of a foreign body after each blow	□ yes	□ no
6	Performed 5 compressions with his/her fist, covered with the palm of his/her other hand, on the upper part of the victim's abdomen, wrapping him/her from behind	□ yes	□ no
7	Assessed the fact of removal of a foreign body after each compression	□ yes	□ no
	Determined signs of life		
8	Gently shook the victim by his/her shoulders	□ yes	□ no
9	Called him/her loudly: "Do you need help?"	□ yes	□ no
10	Removed clothes from the chest of the victim	□ yes	□ no
11	Placed the palm of one hand on the victim's forehead, lifted the victim's chin with two fingers of the other hand and tilted the head back, opening the airways	□ yes	□ no
12	Bent with his/her cheek and ear toward the victim's mouth and nose	□ yes	□ no
13	Assessed the presence of normal breathing for 10 seconds	□ yes	□ no
14	Called for help and asked for an AED	□ yes	□ no
	Called ambulance in accordance with accepted procedure		
15	• the fact that the ambulance team was called	□ yes	□ no
16	• location (address) of the accident	□ yes	□ no
17	• number of suffered persons	□ yes	□ no
18	• gender	□ yes	□ no
19	• approximate age	□ yes	□ no
20	• victim's condition	□ yes	□ no
21	• scope of provided first aid	□ yes	□ no
Prepared for chest compressions			
22	Kneeled at the side of the victim, facing him	□ yes	□ no
23	Placed the heel of the palm of one hand on the center of the victim's chest	□ yes	□ no
24	Placed the second palm on the first hand, grasping it in a wrist-lock position	□ yes	□ no

$Basic\ cardiopul monary\ resuscitation$







	Performed compressions on the victim's sternum		
25	Performed 30 compressions in a row	□ yes	□ no
26	Kept his/her arms perpendicular to the plane of the sternum	□ yes	□ no
27	Did not bend his/her arms at the elbows	□ yes	□ no
28	Counted the compressions out loud	□ yes	□ no
29	Continued CPR for 2 minutes until the next command	□ yes	□ no
	Use of AED		
30	Turned on the AED	□ yes	□ no
31	Correctly sticked the electrodes onto the victim's chest	□ yes	□ no
32	Did not touch the victim during the analysis of heart rhythm with AED	□ yes	□ no
33	Followed the AED (or ASC member) commands: • Pressed "Discharge" button. Did not touch the victim at the moment of discharge. Began chest compressions Or • Began chest compressions	□ yes	□ no
34	Continued CPR for 2 minutes until the next command	□ yes	□ no
	Indicators of simulator		
35	Adequate depth of compression (at least 80%)	□ yes	□ no
36	Adequate hand position when delivering compression (at least 80%)	□ yes	□ no
37	Full expansion of the chest after each compression (at least 80%)	□ yes	□ no
38	Adequate compression frequency (at least 80%)	□ yes	□ no
	Unscheduled and unsafe activities		
39	There was no compressions on the chest actions	□ yes	□ no
40	Pulse was assessed on carotid artery without respiration assessment	□ yes	□ no
41	The pulse was assessed on the radial and/or other peripheral arteries	□ yes	□ no
42	An assessment of the neurological status was cone (checking the response of the pupils to light)	□ yes	□ no
43	Search for unscheduled accessories (mirror, etc.) was carried out	□ yes	□ no
44	Medical history was collected and medical records were searched	□ yes	□ no
45	The wrong location was chosen for blows	□ yes	□ no
46	The wrong location was chosen for compressions on the abdomen	□ yes	□ no
47	Violated the sequence of the algorithm	□ yes	□ no
	Name of the ASC member Signature Record about the inclusion in	nto database	 (Name)







Checklist

Scenario 2

Nº	Action of the accredited person	Evalu Crit	iation eria
1	Ensured there is no danger and, if necessary, provided safe conditions for providing assistance	□ yes	□ no
	Determined signs of life		
2	Gently shook the victim by his/her shoulders	□ yes	□ no
3	Called him/her loudly: "Do you need help?"	□ yes	□ no
4	Removed clothes from the chest of the victim	□ yes	□ no
5	Placed the palm of one hand on the victim's forehead, lifted the victim's chin with two fingers of the other hand and tilted the head back, opening the airways	□ yes	□ no
6	Bent with his/her cheek and ear toward the victim's mouth and nose	□ yes	□ no
7	Assessed the presence of normal breathing for 10 seconds	□ yes	□ no
8	Called for help and asked for an AED	□ yes	□ no
	Called ambulance in accordance with accepted procedure		
9	• the fact that the ambulance team was called	□ yes	□ no
10	• location (address) of the accident	□ yes	□ no
11	• number of suffered persons	□ yes	□ no
12	• gender	□ yes	□ no
13	• approximate age	□ yes	□ no
14	• victim's condition	□ yes	□ no
15	• scope of provided first aid	□ yes	□ no
	Prepared for chest compressions		
16	Kneeled at the side of the victim, facing him	□ yes	□ no
17	Placed the heel of the palm of one hand on the center of the victim's chest	□ yes	□ no
18	Placed the second palm on the first hand, grasping it in a wrist-lock position	□ yes	□ no
Performed compressions on the victim's sternum			
19	Performed 30 compressions in a row	□ yes	□ no
20	Kept his/her arms perpendicular to the plane of the sternum	□ yes	□ no
21	Did not bend his/her arms at the elbows	□ yes	□ no
22	Counted the compressions out loud	□ yes	□ no
23	Continued CPR for 2 minutes until the next command	□ yes	□ no
	Use of AED		
24	Turned on the AED	□ yes	□ no
25	Correctly sticked the electrodes onto the victim's chest	□ yes	□ no
26	Did not touch the victim during the analysis of heart rhythm with AED	□ yes	□ no

$Basic\ cardiopul monary\ resuscitation$







	Followed the AED (or ASC member) commands:		
	Pressed "Discharge" button. Did not touch the victim at the moment		
27	of discharge. Began chest compressions	□ yes	□ no
	Or .		
28	Began chest compressions Continued CPR for 2 minutes until the next command	□ yes	□ no
20	Indicators of simulator	<u> Пусз</u>	
29	Adequate depth of compression (at least 80%)	□ ves	□ no
30			□ no
	Adequate hand position when delivering compression (at least 80%)	□ yes	
31	Full expansion of the chest after each compression (at least 80%)	□ yes	□ no
32	Adequate compression frequency (at least 80%)	□ yes	□ no
	Ensuring stable lateral position		
33	Gently shook the victim by his/her shoulders	□ yes	□ no
34	Called him/her loudly: "Do you need help?	□ yes	□ no
35	Placed the palm of one hand on the victim's forehead	□ yes	□ no
36	Lifted the victim's chin with two fingers of the other hand	□ yes	□ no
37	Tilted the head back, opening the airways	□ yes	□ no
38	Bent with his/her cheek and ear toward the victim's mouth and nose	□ yes	□ no
39	Assessed the presence of normal breathing for 10 seconds	□ yes	□ no
40	Placed the victim's near arm at a right angle to his /her body	□ yes	□ no
41	Placed the victim's far hand with its back on the opposite cheek of the victim	□ yes	□ no
42	Bent the leg of the victim farthest from himself/herself at the knee, placed it with support on the foot	□ yes	□ no
43	Turned the victim towards himself/herself by pressing on the knee of the bent leg	□ yes	□ no
44	Pulled the leg lying on top closer to the abdomen	□ yes	□ no
45	Slightly tilted the victim's head back to open the airways	□ yes	□ no
46	Checked the victim for signs of breathing	□ yes	□ no
	Unscheduled and unsafe activities		
47	There was no compressions on the chest actions	□ yes	□ no
48	Pulse was assessed on carotid artery without respiration assessment	□ yes	□ no
49	The pulse was assessed on the radial and/or other peripheral arteries	□ yes	□ no
50	An assessment of the neurological status was cone (checking the response of the pupils to light)	□ yes	□ no
51	Search for unscheduled accessories (mirror, etc.) was carried out	□ yes	□ no
52	Medical history was collected and medical records were searched	□ yes	□ no
53	Turned the victim away from himself/ herself	□ yes	□ no
54	Violated the sequence of achieving stable lateral position	□ yes	□ no
55	Violated the sequence of the algorithm	□ yes	□ no
	Name of the ASC member Signature Pecord about the inclusion in	ato database	(Nama)